


ACTORS PAGE IN THE DIRECTOR

The Actors page is where you can:

- Create Bulk Registration Tokens to use when installing and registering Actors
- Register new Actors
- View a list of all Actors
- Manage Actors



The screenshot displays the 'Actors page' in the Mandiant Director interface, divided into three main sections:

- BULK REGISTRATION TOKENS:** A table with columns: Name, Security Zone, Code, Max Uses, Current Uses, Expiration Date, Status, and Actions. One row is visible for 'HQ-Actor1' with a status of 'Active' and an 'Installer' button.
- NETWORK ACTORS:** A table with columns: Name, Description, Management IP, Test IP, Security Zone, OS, Uptime, Last Comms, and Actions. One row is visible for 'DC:East:DMZ' with a status of 'over 1 year'.
- ENDPOINT ACTORS:** A table with columns: Name, Description, Management IP, Test IP, Security Zone, OS, Uptime, Last Comms, and Actions. One row is visible for 'hq-actor1-1-172.16.227.135' with a status of '1 minute'.

Actors page

The configurations you can manage from this page vary depending on the type of Actor. For a full list, see [Editing an Actor](https://docs.mandiant.com/home/msv-editing-an-actor) (<https://docs.mandiant.com/home/msv-editing-an-actor>). At a high-level, you can:

- Edit and delete details
- Add tags



NOTE: To run bulk Actions, you must set at least one User Tag on the Actor.

- Manage credentials
- Reattach Actor definition node. For more information, see [Reattaching an Actor](https://docs.mandiant.com/home/reattaching-an-actor) (<https://docs.mandiant.com/home/reattaching-an-actor>).
- Reboot the Actor and restart the Actor's services. For more information, see [Restarting and Rebooting Actors](https://docs.mandiant.com/home/restarting-and-rebooting-actors) (<https://docs.mandiant.com/home/restarting-and-rebooting-actors>).
- Update interfaces and routing
- Refresh the Actor information after you made changes from the command line.



NOTE: You cannot delete the default gateway route from the management interface on an Actor.



IMPORTANT: For Actors installed using installable software, you must configure a time service on your operating system, and then set the Actor to Use System Time.

LAST COMMS: 1 MINUTE Restart Services Refresh Actor Info Reboot

Name*

Description

OS

Version

User Tags

All Traffic IP*

Alternate Hostname

Security zone

Comm mode*

Proxy Through Actor

Location*

Pull Interval (seconds)

Service Startup Timeout (seconds)

Dns server

OS Language

Suppress OS Sleep

Update Actor

Edit Actor form

INTERFACES Disable Auto Interface

Name	IP Address	FQDN	Netmask	Gateway	State	Type	Actions
Ethernet0	<input type="text"/>		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>
Ethernet1 2	<input type="text"/>		<input type="text"/>		<input type="text"/>	<input type="text"/>	<input type="checkbox"/>

ROUTING

Destination	Gateway	Netmask	Flags	Interface	Metric
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	0
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	0

ENDPOINT PRODUCTS

Logo	Vendor	Product	Version	Product Type	Name	Description	Match	Action
	Microsoft	Defender ATP	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>

CAN TALK TO ACTORS Update Info

Actor	Communication Direction	NAT 47
<input type="text"/>	<input type="text"/>	<input type="text"/>

SUPPORTED CAPABILITIES Update Info

Capability	Category
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

For information on adding Actors, including adding Actors using bulk registration tokens, refer to **Registering the Actor using Bulk Registration Tokens** (<https://docs.mandiant.com/home/registering-the-actor-using-bulk-registration-tokens>).